JN0-201^{Q&As}

Juniper networks Certified internet associate.m(jncia-m)

Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/jn0-201.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

By default, which command can be used to display information about packets that have been logged with the syslog firewall filter action?

A. show log messages

B. show firewall

C. show log

D. show firewall log

Correct Answer: A

QUESTION 2

Which protocol family is required prior to assigning an IP address to an interface?

A. familyip

B. family ip6

C. family inet4

D. familyinet

Correct Answer: D

QUESTION 3

What are three purposes of a PSNP? (Choose three.)

A. to ensure a neighbor is still in the Up state

B. to request a copy of a missing LSP on a broadcast network

C. to acknowledge LSPs from a neighbor on a point-to-point network

D. to maintain the link-state database synchronization

E. to tear down an adjacency

Correct Answer: BCD

QUESTION 4

Two Level 2 routers are exchanging Hello packets with different Area IDs. What occurs between these routers?

A. An Adjacency forms but traffic is not forwarded.

B. An Adjacency does not form.

C. An Adjacency forms.

D. No IS-IS PDUs are sent.

Correct Answer: C

QUESTION 5

What are two advantages of a signaled LSP over a static LSP? (Choose two.)

A. consumes fewer router resources

B. supports failover to secondary LSPs

C. shows up in the route table as a static route

D. performs keep-alive checking

Correct Answer: BD

QUESTION 6

When is the default routing policy applied?

A. only if no policies have been applied

B. during the evaluation of every applied policy

C. prior to evaluating any applied policy

D. after all policies have been evaluated

Correct Answer: D

QUESTION 7

Which two steps are required for RIP to redistribute OSPF routes? (Choose two.)

A. apply the redistribution policy to RIP as export

B. create a redistribution policy accepting the RIP routes

C. apply the redistribution policy to OSPF as export

D. apply the redistribution policy to OSPF as import

E. apply the redistribution policy to RIP as import

F. create a redistribution policy accepting the OSPF routes

Correct Answer: AF

QUESTION 8

Which CLI command displays routes advertised to an EBGP peer?

A. showbgp advertised routes x.x.x.x

B. show route advertising-protocolbgp x.x.x.x

C. show route receive-protocolbgp x.x.x.x

D. showbgp received routes x.x.x.x

Correct Answer: B

QUESTION 9

On what destination port in the layer 4 header does BGP listen?

A. TCP port 179

B. UDP port 179

C. TCP port 169

D. UDP port 169

Correct Answer: A

QUESTION 10

Router A has a priority of 64, Router B has a priority of 0, and Router C has a priority of 70. Router D now comes online with a priority of 100. Which router is the DIS?

A. Router D

B. Router C

C. Router B

D. Router A

Correct Answer: A

QUESTION 11

What are the three components of the ISO NET address? (Choose three.)

A. N-selector

B. ISO number

C. MAC address

D. System ID

E. Area ID

F. AS number

Correct Answer: ADE

QUESTION 12

In an ISO NET address, what is the first byte of the Area ID called?

A. N-selector

B. Authority and Format Indicator

C. Authority Forward Inter-area

D. Level 2 Area

Correct Answer: B

QUESTION 13

Which two statements are true concerning the JUNOS software? (Choose two.)

A. Processes may fail and cause a failure of the entire system.

B. Processes are fully independent from each other.

C. Processes run in a protected memory environment.

D. Processes are tightly integrated with each other.

Correct Answer: BC

QUESTION 14

Which protocol family is required prior to assigning an IP address to an interface?

A. family ip6

B. familyip

C. family inet4

D. familyinet

Correct Answer: D

QUESTION 15

Given the following configuration snippet:

[edit protocols bgp] import remove-comm; group peer- 65521 { type external; export [my-cust-tag add-as-path];

peer-as 65221;

neighbor 192.168.20.1 { import [gold-cust silver-cust bronze-cust];

export add-metric; }

Which policy will be applied to inbound routes from this BGP neighbor?

A. add-metric

B. remove-comm

C. my-cust-tag

D. gold-cust

Correct Answer: D

[Latest JN0-201 Dumps](link)   [JN0-201 Practice Test](link)   [JN0-201 Braindumps](link)