

ACSCE-5X^{Q&As}

Alfresco Content Services Certified Engineer

Pass Alfresco ACSCE-5X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/acsce-5x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alfresco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which tasks would require a restart of the Alfresco server to apply the changes? (Choose two.)

- A. Deploying a new content model via a *-context.xml file.
- B. Deploying a new content model into Data Dictionary/Models.
- C. Deploying a new workflow through the Activiti workflow console.
- D. Making configuration changes in alfresco-global properties.
- E. Making configuration changes via JMX.

Correct Answer: AD

QUESTION 2

A client-side module is defined in the JavaScript file `alfresco/test/mycomponent.js` inside the Share web application. What is the equivalent file that contains the compressed JavaScript used on production servers?

- A. build/alfresco/test/mycomponent.js
- B. compressed/alfresco/test/mycomponent.js
- C. alfresco/test/mycomponent-compressed.js
- D. alfresco/test/mycomponent-min.js

Correct Answer: D

QUESTION 3

What happens to the original content item after a content transformation is performed?

- A. It depends on how the transformation was configured.
- B. It is replaced by the transformed content item.
- C. It is versioned and updated.
- D. It remains untouched.

Correct Answer: A

References: <http://docs.alfresco.com/5.2/references/dev-extension-points-content-transformer.html>

QUESTION 4

You want to increase the maximum number of results returned by searches in Share from the default 250 to 1000. How would you affect this change?

- A. Set system.acl.maxPermissionChecks in alfresco-global.properties to 1000.
- B. Set maxSearchResults in users.js to 1000.
- C. Set maxSearchResults in nodebrowser.js to 1000.
- D. Set max-search-results in share-config-custom.xml to 1000.

Correct Answer: D

References: https://docs.alfresco.com/5.2/tasks/controlling_search_results.html

QUESTION 5

Which type of constraint can be used to put a limit on the numeric value that can be stored in a property when designing a content model?

- A. LENGTH
- B. REGEX
- C. MINMAX
- D. LIST
- E. MAX

Correct Answer: C

References: <https://www.slideshare.net/alfrescoqa/elementscreatingcontentmodelspdf> (17th slide)

QUESTION 6

To which content model entities can a behavior be associated with? (Choose two.)

- A. Aspects.
- B. Types.
- C. Constraints.
- D. Rules.
- E. Associations.

Correct Answer: AB

QUESTION 7

Consider a static content model loaded at bootstrap that defines a property called "xyz". The property "xyz" is deleted from the content model and the Alfresco server is restarted. Which statement is TRUE?

- A. The server will refuse to start up and you must review the alfresco.log.
- B. There are no effects upon nodes that have the "xyz" property.
- C. You can still access values for property "xyz", but it is a residual property.
- D. The values for "xyz" disappear as though they never existed.

Correct Answer: C

QUESTION 8

Within the web script descriptor file, which tag controls if a dashlet should show up on the user dashboard and/or the site dashboard?

- A. region
- B. family
- C. type
- D. url

Correct Answer: B

QUESTION 9

If an object is moved to a different folder, what will happen to the node's security permissions?

- A. It will inherit the ACL from the new parent folder.
- B. It will inherit the ACL from the user who is moving it.
- C. It will inherit the system wide ACL.
- D. It will keep its old ACL.

Correct Answer: A

QUESTION 10

Which repository folder is the first location where the repository web script container will search for web script implementation files, and can be used to override web scripts placed in any other location?

- A. /Company Home/Web Scripts
- B. /Company Home/Templates/Web Scripts

C. /Company Home/Data Dictionary/Web Scripts Extensions

D. /Company Home/Data Dictionary/Web Scripts

Correct Answer: B

QUESTION 11

Which Alfresco Java Public API service can be used to inspect the currently loaded content models?

A. NodeService

B. DictionaryService

C. ContentService

D. ModuleService

Correct Answer: D

QUESTION 12

Which searches are possible to execute with CMIS 1.1 cmis:item support on Alfresco? (Choose two.)

A. select * from cmis:item

B. select * from sys:base

C. select * from rule:rule

D. select * from bpm:package

E. select * from cm:person

Correct Answer: AE

References: <https://docs.alfresco.com/5.0/practice1/concepts/cmis-1.1-item-support.html>

QUESTION 13

What is the simplest way to call a custom Alfresco repository JavaScript extension from a content rule?

A. Create a new custom action that calls my script, and bundle both the custom script and the custom action into an AMP.

B. Add the script to Data Dictionary/Scripts, then use the "Execute a Script" action to call it from the rule.

C. Add a function called "executeAction" to the JavaScript and place it on the classpath. Alfresco Content Services will add it as a rule action.

D. Upload the script to the folder on which the rule action is applied, and name it "ruleScript" so Alfresco Content

Services can find it.

Correct Answer: B

QUESTION 14

Which of the following items appear within a custom content model? (Choose two.)

- A. The model's namespace.
- B. References to other namespaces.
- C. Property sheet definitions.
- D. Policy behaviors for a content type.
- E. Localization strings.

Correct Answer: AE

QUESTION 15

Which one of the following steps is necessary when customizing the "Advanced Search" in Share and adding a date property to the search form?

- A. The date range control needs to be specified in share-config-custom.xml.
- B. A Java-backed web script to deal with dates needs to be created and referenced in share-configcustom.xml.
- C. Share will automatically provide a date range control for dates.
- D. A date range control needs to be created in FreeMarker, then specified in share-config-custom.xml.

Correct Answer: A

[Latest ACSCE-5X Dumps](#)

[ACSCE-5X VCE Dumps](#)

[ACSCE-5X Practice Test](#)