

DEA-41T1^{Q&As}

Associate – PowerEdge

Pass EMC DEA-41T1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/dea-41t1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A network administrator has to reconfigure the company firewall to allow access to a website on the internet. Which technology will provide the administrator with the correct IP address?

- A. ARP
- B. DHCP
- C. DNS
- D. HTTP

Correct Answer: D

Reference: <https://www.forescout.com/company/resources/idrac-9-user-guide/> (55)

QUESTION 2

What are the different types of event logs on a Windows server operating system?

- A. Healthy, Warning, and Important
- B. Information, Non Critical, and Critical
- C. Information, Warning, and Error
- D. Healthy, Warning, and Critical

Correct Answer: C

Reference: https://www.manageengine.com/network-monitoring/Eventlog_Tutorial_Part_I.html

QUESTION 3

DRAG DROP

Match the management tool to its description.

Select and Place:

Answer Area

| | |
|---------------------------------|--------------------------------|
| OpenManage Enterprise | Automatic case creation |
| OpenManage Server Administrator | One-to-many management console |
| iDRAC Service Module | OS-resident agent |
| SupportAssist Enterprise | One-to-one management console |

Correct Answer:


Answer Area

| |
|---------------------------------|
| iDRAC Service Module |
| OpenManage Enterprise |
| SupportAssist Enterprise |
| OpenManage Server Administrator |

Reference: <https://www.dell.com/support/kbdoc/en-pk/000178050/support-for-dell-emc-idrac-service-module>
<https://www.dell.com/support/kbdoc/en-pk/000132087/support-for-dell-emc-openmanage-server-administrator-omsa>
<https://www.delltechnologies.com/en-us/solutions/openmanage/enterprise.htm>

QUESTION 4

Based on the exhibit, which device is a Boot Optimized Storage Solution (BOSS) Controller?



A. Option A

B. Option B

C. Option D

D. Option C

Correct Answer: A

Reference: <https://vinfrastructure.it/2017/09/dell-boot-optimized-storage-solution-boss/>

QUESTION 5

What is the maximum number of iDRAC Virtual Console sessions that can be run simultaneously?

A. 5

B. 5

C. 6

D. 7

Correct Answer: C

Reference: https://www.dell.com/support/manuals/us/en/04/poweredge-r740xd/idrac_3.00.00.00_ug/configuring-and-using-virtual-console?guid=guid-1607d2bc-0ed1-4487-84e1-272357a474ae&lang=en-us

QUESTION 6

DRAG DROP

What is the correct sequence of message exchanges between a DHCP server and Client for a connection request?

Select and Place:

| | |
|---------------|--------|
| DHCP Offer | Step 1 |
| DHCP Discover | Step 2 |
| DHCP ACK | Step 3 |
| DHCP Request | Step 4 |

Correct Answer:

| | |
|--|---------------|
| | DHCP Discover |
| | DHCP Offer |
| | DHCP Request |
| | DHCP ACK |

Reference: <https://www.ionos.com/digitalguide/server/configuration/dhcp-an-overview-of-the-clientserver-protocol/>

QUESTION 7

Which solution is recommended for installing a hypervisor in a Dell EMC PowerEdge rack server or in a hyper-converged infrastructure (HCI) host?

- A. FC HBA
- B. BOSS
- C. CPU
- D. NVDIMM

Correct Answer: A

QUESTION 8

A backup administrator is migrating their tape drive backup solution from LTO-4 to LTO-6 generation. Both LTO-3 and LTO-4 media are presently in use. All LTO-4 drives are to be replaced by LTO-6 drives, but the administrator plans to avoid replacing a maximum amount of the tapes already in use.

What should the administrator do to accomplish this task?

- A. Back up all critical data on at least LTO-4 tapes in order to be read it from their new LTO-6 drives.
- B. Nothing, the administrator will still be able to read any tape currently in use will their LTO-6 drive and will be able to retrieve data if needed
- C. Back up all critical data from LTO-3 tapes to LTO-4 tapes Next, back up LTO-4 tapes to LTO-5 tapes Next, back up LTO-5 tapes to LTO-6 tapes
- D. Back up all critical data from LTO-3 tapes to LTO-4 tapes Next, back up LTO-4 tapes to LTO-5 tapes

Correct Answer: A

QUESTION 9

Which Ethernet cable type should be installed if high interference is a concern?

- A. RJ45
- B. 802.11n
- C. STP
- D. UTP

Correct Answer: C

Reference: <https://www.makeuseof.com/tag/everything-you-need-to-know-about-ethernet-cables/>

QUESTION 10

What is a characteristic of server and user authenticator?

- A. Server does not need to know exactly who is accessing the information or site for authentication.
- B. Authentication uses logs to determine tasks each individual performs and which files the user is accessing.
- C. Authentication is commonly implemented through login ID and password in private and public networks.
- D. User does not need to provide their identity to the server or the client for authentication.

Correct Answer: C

QUESTION 11

An administrator needs to know which IP address corresponds to a MAC address. Which protocol will support this?

- A. STP
- B. DHCP
- C. ARP
- D. DNS

Correct Answer: C

Reference: <https://www.dell.com/community/Networking-General/Find-IP-address-of-computer-connected-to-port/td-p/1114731>

QUESTION 12

What is an alternative configuration for a 40Gbps Ethernet connection?

- A. 1x 25 Gbps
- B. 1x 10 Gbps
- C. 10x 4 Gbps
- D. 4x 10 Gbps

Correct Answer: D

Reference: https://downloads.dell.com/manuals/all-products/esuprt_ser_stor_net/esuprt_networking/esuprt_net_fxd_prt_swch/networking-n3100-series_user%27s-guide10_en-us.pdf

QUESTION 13

A system administrator wants to view the results of the Best Practices Analyzer (BPA) for their local server. Which Windows built-in tool can they use to accomplish this?

- A. Activity Monitor
- B. Server Manager-Local Server
- C. Resource Monitor
- D. Security Compliance Manager

Correct Answer: B

QUESTION 14


Why is Error Correcting Code (ECC) memory beneficial in Dell EMC PowerEdge servers?

- A. Provides a separate memory management scheme for memory operation?
- B. Creates redundancy by mirroring physically installed memory
- C. Can present more memory than what is physically installed
- D. Can repair errors without interrupting other server operations

Correct Answer: B

QUESTION 15

Refer to the exhibit.



What is this system referred to?

- A. HAC
- B. FANS
- C. CRAH
- D. HVAC

Correct Answer: D

[Latest DEA-41T1 Dumps](#)

[DEA-41T1 VCE Dumps](#)

[DEA-41T1 Braindumps](#)