

DES-4122^{Q&As}

Specialist - Implementation Engineer PowerEdge Version 2.0

Pass EMC DES-4122 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/des-4122.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/des-4122.html

2023 Latest pass2lead DES-4122 PDF and VCE dumps Download

QUESTION 1

What is a key distinction between 1DRAC8 and 1DRAC9?

- A. iDRAC9 offers HTML5 based GUI
- B. iDRAC9 default credentials are root/calvin orderable only
- C. iDRAC8 offers HTML5 based GUI
- D. iDRAC8 default credentials are customer orderable

Correct Answer: C

QUESTION 2

You are creating a new RAID 5 storage pool on a Dell EMC PowerEdge server based on 30 x 1TB drives Which PERC model best supports this configuration?

- A. S140
- B. H740P
- C. H740T
- D. H330

Correct Answer: A

QUESTION 3

An engineer needs to upgrade a Dell EMC PowerEdge R440 server from a single PSU to dual PSU configuration. There are unused PSU modules from PowerEdge R430 and R420 servers available, and they have the same wattage ratings.

What should the engineer do to complete the task?

- A. Add the PowerEdge R420 PSU modules to the PowerEdge R440
- B. Order a new PSU specific to the existing PowerEdge R440
- C. Add the PowerEdge R430 PSU modules to the PowerEdge R440
- D. Configure the PowerEdge R440 PSU with 1+1 configuration

Correct Answer: A

QUESTION 4

You must configure a BOSS card with 2 x 120GB drives for a Dell EMC PowerEdge server. What is the only supported

https://www.pass2lead.com/des-4122.html 2023 Latest pass2lead DES-4122 PDF and VCE dumps Download

mode?
A. RAID 0
B. RAID 5
C. RAID 1
D. Non-RAID Mirroring
Correct Answer: A
QUESTION 5
What is a systems management console solution optimized for monitoring and managing Dell enterprise and remote office hardware?
A. SupportAssist Enterprise
B. iSM
C. OpenManage Essentials
D. iDRAC9
Correct Answer: C
QUESTION 6
A Dell EMC PowerEdge 14G server uses Intel OPTANE DC Persistent Memory in App Direct mode. What is the minimum size DIMM supported for this type of memory?
A. 64 GB
B. 128 GB
C. 256 GB
D. 512 GB
Correct Answer: C
QUESTION 7

An engineer is checking a newly delivered Dell EMC PowerEdge R640 server that will be deployed for a new database

DES-4122 PDF Dumps | DES-4122 Exam Questions | DES-4122 Braindumps

environment

The inventory consists of:



https://www.pass2lead.com/des-4122.html

2023 Latest pass2lead DES-4122 PDF and VCE dumps Download

- 1 PowerEdge R640 Server
- 1 Hot-plug Power Supply, 750W qty 1
- Jumper Cord C13/C14, 4M, 250V, 10A qty 1
- Broadcom 57412 Dual Port 10GbE SFP+ and 5720 Dual Port 1GbE BASE-T rNDC qty 1
- SFP+ SR Optic, 10GbE qty 2
- Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax DAC, 3 Meter qty 2
- CAT6 Patch cable 5 Meters qty 2

The server power configuration will be set for gnd redundancy The management switch is 1000 Base-T and the top of rack switches 10Gb

What additional component(s) is needed for this configuration?

- A. Hot-plug power supply, 750 W qty 1
- B. Hot-plug power supply, 1100W qty 1
- C. Dell Networking, cable, 40GbE (QSFP+) to 4 x 10GbE SFP+ passive copper breakout cable, 3 meters qty 2
- D. C20 to C21, PDU style, 250 V, 16 Amp, 3 5 meters power cord qty 2

Correct Answer: D

QUESTION 8

A Dell EMC PowerEdge server has been updated with an LCC and iDRAC DUP to the latest firmware when performing a firmware rollback?

- A. Both the iDRAC and the LCC can be rolled back
- B. The LCC can be rolled back; the iDRAC cannot be rolled back
- C. The iDRAC can be rolled back; the LCC cannot be rolled back
- D. The iDRAC cannot be rolled back and the LCC cannot be rolled back

Correct Answer: B

QUESTION 9

A Dell EMC PowerEdge server logs the following CPU Machine Check error CPU1 IERR What action might solve the problem?

- A. Remove flea power
- B. Update the Intel driver
- C. Reseat the IDSDM
- D. Swap the PERC controller

Correct Answer: B



https://www.pass2lead.com/des-4122.html 2023 Latest pass2lead DES-4122 PDF and VCE dumps Download

QUESTION 10

What must be done before upgrading OMSA from the 32-bit to the 64-bit version?

- A. Save the license file
- B. Disable UAC
- C. Back up the configuration
- D. Uninstall the earlier version

Correct Answer: A

DES-4122 PDF Dumps

DES-4122 Exam Questions

DES-4122 Braindumps