

HPE0-J80^{Q&As}

Delta - Architecting Multi-Site HPE Storage Solutions

Pass HP HPE0-J80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe0-j80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

While preparing to demonstrate SSMC functionality with an HPE 3PAR StoreServ 7400, you notice that the System Reporter templates for the PoC system are different from those you have

IT Certification Guaranteed, The Easy Way! seen for other arrays. While examining the SSMC User Guide, you discover that a System Reporter license is still needed for some System Reporter functionality in SSMC

Which SSMC System Reporter functionality requires the array to have a System Reporter license? (Select two.)

- A. online performance reporting
- B. historical performance reporting
- C. performance alerts
- D. export functionality
- E. web-based reporting

Correct Answer: DE

QUESTION 2

A storage architect is reviewing customer as-built documentation and a proposed design for an HPE 3PAR StoreServ deployment. The array must be installed in a co-location facility in facility-supplied-and-managed racks. The storage architect has determined that service clearances and power are adequate. The proposed design is storage-centric and will require two racks to accommodate all the disk enclosures.

What should the storage architect consider when validating the design?


- A. The correct number of SAS Active Optical Cables (AOC) are included.
- B. The correct number of InfiniBand cables are included.
- C. Expansion is only supported in HPE racks.
- D. The correct number of Fiber Channel Cables are required

Correct Answer: A


QUESTION 3

The exhibit shows the 4 types of StoreVirtual Network RAID 0, 10, 10+1 and 10+2. A customer has three sites and needs a copy of data at each site. Click on the Network RAID level that you should recommend.

Hot Area:



Correct Answer:



QUESTION 4

Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?

- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Correct Answer: AE

QUESTION 5

Which benefit of the REST API when compared to other well-known interface methods should be presented to a customer to correctly position HPE OneView?

- A. REST API offers integrated JavaScript Object Notation (JSON) translation
- B. No state change message bus is needed to communication with HPE OneView
- C. REST API has lighter bandwidth requirements
- D. The code is compatible with all Simple Object Access Protocol (SOAP) scripts

Correct Answer: C

QUESTION 6

A customer needs a disaster-tolerant replication solution for its Oracle database. The database consists of only one 500 GB volume. You recommend a Remote Copy solution based on HPE 3PAR StoreServ 8200 systems.

Which statement is correct when using multiple RCIP or Fibre Channel ports for this design?

- A. Synchronous replication mode must be used
- B. Asynchronous streaming replication mode must be used
- C. All available links of the same type are used for replication
- D. All available links are used for replication

Correct Answer: A

QUESTION 7

A customer has a multi-site, 10-node HPE StoreVirtual solution. What should be configured to ensure that application servers connect to storage systems located in the same site to get their data?

- A. Peer Persistence
- B. synchronous replication
- C. DSM MPIO
- D. I/O path preferencing

Correct Answer: D

QUESTION 8

You are designing an HPE 3PAR StoreServ environment using HPE Smart SAN Which solution components are supported? (Select two.)

- A. Emulex HBAs
- B. HPE 5900 CP switches
- C. Qlogic Fibre Channel HBAs
- D. HPE H-series SAN switches
- E. Physical 3PAR Service Processor

Correct Answer: BC

QUESTION 9

Which Statement is correct about designing a Flat SAN solution using an HPE 3PAR StoreServ storage system?

- A. Up to four connections/uplinks per enclosure are supported.
- B. The initiator minimum bandwidth setting should be set to 4 Gb.
- C. Up to six connections per Virtual Connect Module are supported.
- D. The initiator peak bandwidth settings should be set to 6 Gb.

Correct Answer: A

QUESTION 10

The demonstration of iSCSI Persistent Ports during an HPE 3PAR StoreServ proof of concept fails. What is a possible cause of failure?

- A. The connected switch gets a loss_sync of the HPE 3PAR StoreServ port and disconnects the port immediately.
- B. The connected switch does not accept an unsolicited ARP and does not update the IP address mappings.
- C. Zoning is not implemented correctly, and the host could not connect to the partner port.
- D. Port Persistence is not configured correctly, so the partner port could not be activated in a timely manner.

Correct Answer: D

[Latest HPE0-J80 Dumps](#)

[HPE0-J80 Study Guide](#)

[HPE0-J80 Exam Questions](#)