

JN0-251^{Q&As}

Mist AI - Associate (JNCIA-MistAI)

Pass Juniper JN0-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/jn0-251.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

When would be the earliest opportunity to configure an access point (AP)?

- A. after you are on the same network as the AP
- B. after the AP is installed
- C. after the AP is online
- D. after the AP is claimed to inventory
- Correct Answer: B

Reference: https://www.juniper.net/us/en/products/access-points.html

QUESTION 2

What are two characteristics of the 2.4 GHz band when compared to the 5 GHz band? (Choose two.)

- A. shorter wavelength
- B. lower frequency
- C. less non-Wi-Fi interference
- D. more congestion
- Correct Answer: BD

Reference: https://kb.netgear.com/29396/What-is-the-difference-between-2-4-GHz-and-5-GHz-wireless-frequencies

QUESTION 3

You want to determine where you have coverage issues in your network using Marvis Actions. Which Marvis Action category should you use in this situation?

- A. Connectivity
- **B.** Application
- C. Clients
- D. AP

Correct Answer: A

QUESTION 4



Where in the Mist UI would the Persistently Failing Clients report be found?

A. Alerts

- **B.** Marvis Actions
- C. Successful Connects SLE
- D. Insights
- Correct Answer: D

Reference: https://www.mist.com/documentation/august-26th-2021-updates/

QUESTION 5

Which device categories are included in WAN Assurance? (Choose two.)

A. EX

- B. Mist Edge
- C. SSR
- D. SRX
- Correct Answer: AD

Reference: https://www.juniper.net/us/en/products/cloud-services/juniper-mist-wan-assurance-overview-datasheet.html

QUESTION 6

- How does Mist detect rogue APs?
- A. by using the AP\\'s 2.4 GHz radio band
- B. by using Radio Resource Management (RRM)
- C. by using the AP\\'s third dedicated radio
- D. by using the AP\\'s 5 GHz radio band
- Correct Answer: D

Reference: https://www.mist.com/documentation/rogue-neighbor-honeypotaps/#:~:text=In%20addition%20to%20the%202.4,and%205%20GHz%20radio%20bands

QUESTION 7

Which statement is correct about Marvis Actions?



- A. It summarizes user trouble tickets and detected AP problems.
- B. It automatically detects and reports network problems.
- C. It summarizes all of the misconfigured WLANs at a site.
- D. It automatically issues an RMA for an AP.

```
Correct Answer: B
```

Reference: https://www.mist.com/documentation/what-is-marvis-actions/

QUESTION 8

Which statement defines the total user minutes?

- A. The total number of minutes for which Mist has statistics for each client.
- B. The total number of minutes between a client\\'s last association and disassociation.
- C. The total amount of device uptime over the last seven days.
- D. The average number of minutes that all clients have been associated to the network.

Correct Answer: B

QUESTION 9

The Mist help menu provides direct access to which two features? (Choose two.)

- A. hardware updates
- B. company updates
- C. feature updates
- D. firmware updates
- Correct Answer: CD

QUESTION 10

Which two SLEs report DHCP problems? (Choose two.)

- A. Successful Connects
- B. Time to Connect
- C. Capacity
- D. Throughput



Correct Answer: BD

QUESTION 11

Which administrator role must you have to view audit logs?


- A. Installer
- B. Network Admin
- C. Super User
- D. Observer

Correct Answer: D

QUESTION 12

Click the Exhibit button.







Referring to the exhibit, which Marvis language would you use to query Mist about an issue?

- A. natural language
- B. SQL C. Python
- D. query language

Correct Answer: D

QUESTION 13

Which protocol is used by Mist access points to discover third-party switches?

A. LLDP



- B. SNMP
- C. CDP
- D. ICMP

Correct Answer: C

Reference: https://www.mist.com/documentation/wired-visibility-mist-dashboard/

QUESTION 14

The status of user authentication will affect which pair of SLEs?

- A. Successful Connects and Time to Connect
- B. Coverage and Roaming
- C. Capacity and Successful Connects
- D. Time to Connect and Throughput

Correct Answer: C

QUESTION 15

Which two statements are correct when managing switches located in a Mist-managed site? (Choose two.)

- A. The site firewall must allow communications from the switch to Mist.
- B. A switch template must be assigned to the site.
- C. The site must have Mist access points.
- D. The switch must be assigned to the site.
- Correct Answer: AD

Reference: https://www.juniper.net/documentation/us/en/software/nce/nce-214-midsize-branch-mist-pwp/topics/topic-map/nce-214-midsize-branch-mist-example_part2.html

JN0-251 PDF Dumps

JN0-251 Study Guide

JN0-251 Exam Questions