

NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse7_efw-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What configuration settings change the behavior for content-inspected traffic while FortiGate is in conserve mode? (Choose two.)

- A. mem-failopen
- B. ips-failopen
- C. utm-failopen
- D. av-failopen

Correct Answer: BD

QUESTION 2

An administrator wants to capture ESP traffic between two FortiGates using the built-in sniffer. If the administrator knows that there is no NAT device located between both FortiGates, what command should the administrator execute?

- A. diagnose sniffer packet any '\\esp\\'
- B. diagnose sniffer packet any '\\tcp port 500 or tcp port 4500\\'
- C. diagnose sniffer packet any '\\udp port 4500\\'
- D. diagnose sniffer packet any '\\udp port 500\\'

Correct Answer: A

QUESTION 3

Which of the following tasks are automated using the Install Wizard on FortiManager? (Choose two.)

- A. Install configuration changes to managed devices.
- B. Preview pending configuration changes for managed devices.
- C. Import policy packages from managed devices.
- D. Add devices to FortiManager.
- E. Import interface mappings from managed devices

Correct Answer: AB

QUESTION 4

Which of the following statements are correct regarding application layer test commands? (Choose two.)

- A. Some of them display statistics and configuration information about a feature or process.
- B. They are used to filter real-time debugs.
- C. They display real-time application debugs.
- D. Some of them can be used to restart an application.

Correct Answer: AD

QUESTION 5

View the central management configuration shown in the exhibit, and then answer the question below.

```
config system central-management
  set type fortimanager
  set fmg "10.0.1.242"
  config server-list
    edit 1
      set server-type rating
      set server-address 10.0.1.240
    next
    edit 2
      set server-type update
      set server-address 10.0.1.243
    next
    edit 3
      set server-type rating
      set server-address 10.0.1.244
    next
  end
  set include-default-servers enable
end
```

Which server will FortiGate choose for antivirus and IPS updates if 10.0.1.243 is experiencing an outage?

- A. 10.0.1.244
- B. Public FortiGuard servers
- C. 10.0.1.240
- D. 10.0.1.242

Correct Answer: B

[NSE7_EFW-6.0 PDF Dumps](#)

[NSE7_EFW-6.0 VCE Dumps](#)

[NSE7_EFW-6.0 Practice Test](#)