

P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which topic string is NOT valid for a subscribing application to get all messages about fresh fruit if a topic tree exists with the following topic hierarchy: deli/fresh; deli/tinned/nuts; deli/tinned/meat?

- A. deli
- B. deli+/fruit
- C. deli/fresh/fruit
- D. deli/#

Correct Answer: A

QUESTION 2

In what situation will you benefit from the use of multi instance queue managers?

- A. You would like to replace an HA coordinator
- B. You would like to your System IP address assumed at Queue Manager fail over
- C. You would like active/stand by Queue Manager fail over support
- D. You would like higher throughput with work load management of multiple instances of queues

Correct Answer: C

QUESTION 3

Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Correct Answer: D

QUESTION 4

Which of the following statements is NOT true regarding queue manager clusters?

- A. Simplifies distributed queue management

- B. Requires a separately installed component
- C. Provides for workload balancing
- D. Can be dynamically joined by participating queue managers

Correct Answer: B

QUESTION 5

What is the prefix for WebSphere MQ error messages?

- A. AMQ
- B. WMQ
- C. MQR
- D. MQE

Correct Answer: A

QUESTION 6

What happens to messages that have been read (MQGET) from a queue as part of a transaction in the event of an error during the transaction?

- A. Message moved to dead-letter-queue.
- B. Message sent to error log.
- C. Message put back on queue.
- D. Nothing, message already consumed.

Correct Answer: D

QUESTION 7

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 8

What is the name of the MQMD field that a message producer uses to ensure that no consumers receive a message after a message has been on a destination queue for a specified period of time?

- A. Timeout
- B. Expiry
- C. TimeToLive
- D. MaxAge

Correct Answer: B

QUESTION 9

Which of the following is NOT required to be started in order for an MQ client program to get messages from a queue?

- A. Queue Manager
- B. Queue
- C. Client Channel
- D. Listener

Correct Answer: B

QUESTION 10

Which statement is NOT true regarding WebSphere MQ transport for SOAP?

- A. Integrates with WebSphere MQ infrastructure
- B. Provides an alternative transport to HTTP
- C. Allows WebSphere MQ to verify the SOAP message
- D. Supports load balancing through WebSphere MQ clustering

Correct Answer: C

[Latest P9530-039 Dumps](#)

[P9530-039 PDF Dumps](#)

[P9530-039 VCE Dumps](#)