

PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer

Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pcsae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


What is the difference between labels and fields?

- A. Fields can be used in playbooks and labels cannot
- B. Fields are indexed in the database and labels are not
- C. Labels can be used in queries and fields cannot
- D. Labels are indexed in the database and fields are not

Correct Answer: C

QUESTION 2

Which three actions can an engineer take on the troubleshooting page? (Choose three.)



- A. Download the debug log bundle
- B. Put the XSOAR server in maintenance mode
- C. View and modify server configuration settings
- D. Export and import custom content
- E. View a list of server administrators

Correct Answer: ABC

QUESTION 3

How is data transferred between playbook tasks?

- A. Read/Write from context data
- B. Over war room results
- C. Input from the indicator page

D. Directly from a previous task

Correct Answer: A

QUESTION 4

An engineer notices that playbooks only start once the user clicks the 'investigate' button and he/she would like the playbook to start automatically. How can this be implemented?

- A. Add the playbook to the integration's settings
- B. Select 'Run playbook automatically' from the incident type settings
- C. Add the !startinvestigation automation to the beginning of the playbook
- D. Select 'Run playbook automatically' from the integration settings

Correct Answer: A

QUESTION 5

In which three locations can an engineer try to find information, when troubleshooting a failed integration instance error produced by the test button? (Choose three.)

- A. The audit log
- B. The log bundle
- C. The source code for an integration
- D. The error message returned directly below the button
- E. The playground war room

Correct Answer: BCD

QUESTION 6

DRAG DROP

Match the appropriate action to the layout type.

Select and Place:

Answer Area

War Room	Drag answer here	View inputs and outputs of a playbook
Work Plan	Drag answer here	Execute a command
Incident Info	Drag answer here	View Incidents 'Similarity Scale'
Related Incidents	Drag answer here	Change incident fields

Correct Answer:

Answer Area

War Room	Execute a command	
Work Plan	View inputs and outputs of a playbook	
Incident Info	Change incident fields	
Related Incidents	View Incidents 'Similarity Scale'	

QUESTION 7

What are three different loop types in a playbook? (Choose three.)

A. Automation

- B. Built-in
- C. Data collection
- D. Conditional
- E. For-each

Correct Answer: CDE

QUESTION 8

Which two methods will allow data to be saved in incident fields within a playbook? (Choose two.)

- A. setFields
- B. Field mapping
- C. setIncident
- D. Layout inline editing

Correct Answer: BC

QUESTION 9

Which two options are the most effective for moving content between two environments? (Choose two.)

- A. Remote repository based content sharing
- B. UI based content import/export button
- C. Copy the content backup from one environment file system (`/var/lib/demisto/backup/content-backup-*`) and move it to the other environment
- D. Download the content items separately and upload them to the other environment

Correct Answer: AC

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/manage-data/migrate-data-to-another-server-for-multi-tenant.html>

QUESTION 10

Which two reasons would lead an engineer to create a custom widget? (Choose two.)

- A. To visualize server configuration keys
- B. To visualize XSOAR list data
- C. To visualize complex incident data calculations

- D. To visualize context data
- E. To visualize a custom query

Correct Answer: DE

Reference: https://docs.paloaltonetworks.com/content/dam/techdocs/en_US/pdf/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/cortex-xsoar-admin.pdf/cortex-xsoar-admin.pdf

QUESTION 11

In which two ways can data be transferred between playbooks and sub-playbooks? (Choose two.)

- A. Inputs and outputs
- B. Through integration context
- C. Automatically extracted by sub-playbooks
- D. From context data, if context is shared globally

Correct Answer: AD

QUESTION 12

What happens when an integration is deprecated?

- A. The integration commands in a playbook can no longer be used
- B. The integration commands can be used, but it is recommended to update to the latest content pack
- C. The configuration settings will be lost and the integration will no longer function
- D. The integration commands in a playbook can be used, but it will fail at runtime

Correct Answer: C

QUESTION 13

Which component can be part of a load balancing group?

- A. Distributed database
- B. D2 agent
- C. Engine
- D. Load balancing server

Correct Answer: C

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/engines/understand-demisto-engines.html>

QUESTION 14

Which investigation element is best suited for collaboration among users?

- A. Work Plan
- B. Related Incidents
- C. War Room
- D. Context Data

Correct Answer: D

Reference: <https://blog.paloaltonetworks.com/2020/01/cortex-security-operations/>

QUESTION 15

Given an incident with three files, how could the name of the second file be referenced?

- A. `${Files.[2].Name}`
- B. `${Files.Name.[2]}`
- C. `${File.[1].Name}`
- D. `${File.Name.[1]}`

Correct Answer: B

[PCSAE PDF Dumps](#)

[PCSAE Practice Test](#)

[PCSAE Brindumps](#)